

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(search\$6 or find\$3 or locate or locating) near3 calsses!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:02
L2	1373	(search\$6 or find\$3 or locate or locating) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:43
L3	706	2 and (classpath or (class adj path) or path or pathname or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:42
L4	387	3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44
L5	34	3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname) same (directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:19
L6	6	("5187786" or "6519594" or "20020042833").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:23
L7	1	6 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L8	0	5 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:24
L9	18	5 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L10	10	9 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26

L11	0	9 and cach\$3 near2 differen\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:25
L12	0	9 and cach\$3 near2 (vary or variuos differen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26
L13	1	5 and cach\$3 near2 (vary or variuos differen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26
L14	56	4 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:42
L15	53	14 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L16	32	14 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L17	1	4 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L18	324	2 and (classpath or (class adj (directory or path)) or path) and (directory or folder or hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:43
L19	2099	(search\$6 or find\$3 or locate or locating or request\$3) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L20	551	19 and (classpath or (class adj (directory or path)) or path) and (directory or folder or hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44

L21	334	20 and (search\$6 or find\$3 or locate or locating or request\$4) same (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44
L22	205	20 and (search\$6 or find\$3 or locate or locating or request\$4) with (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L23	182	20 and (search\$6 or find\$3 or locate or locating or request\$4) near9 (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L24	1	23 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L25	0	23 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L26	19	23 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:46
L27	91	19 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:47
L28	37	19 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:47
L29	32	28 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:49
L30	62	19 and (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near3 wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:52

L31	1676	(creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near2 wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L32	190	31 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L33	19	32 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L34	55	19 and wrapper and API and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:57
L35	55	19 and wrapper and API and caches! and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L36	54	19 and wrapper and API and caches! and classes! and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L37	1	36 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L38	1373	(search\$6 or find\$3 or locate or locating) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:03
L39	993	(search\$6 or find\$3 or locate or locating) near2 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:03
L40	7	39 and (zip adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04

L41	7	40 and java adj class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L42	611	(zip adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L43	104	42 and java adj class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L44	98	43 and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L45	32	44 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:14
L46	28	44 and wrapper and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:06
L47	7	44 and wrapper and api and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L48	32	44 and (wrapp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:05
L49	28	48 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:08
L50	21	49 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:08

L51	1	50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L52	21	50 and (search\$6 or find\$3 or locate or locating or request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L53	14	50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 (directory or folder or class or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:12
L54	21	50 and (search\$6 or find\$3 or locate or locating or request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:12
L55	28	43 and wrapp\$4 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:21
L56	8	43 and wrapp\$4 same API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:15
L57	5	55 and pars\$6 near4 (class or path or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:19
L58	113	19 and pars\$6 near4 (class or path or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:19
L59	6	19 and pars\$6 near2 (classpath or path or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:20
L60	12	19 and (pars\$6 or decompos\$5 or divid\$4) near2 (classpath or path or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:21

L61	11398	(pars\$6 or decompos\$5 or divid\$4) near2 (classpath or path or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:21
L62	27	61 and wrapp\$4 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:23
L63	14	62 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:23
L64	13	62 and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:23

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	("20020095661" or "20020007357" or "6760903" or "6654765" or "6519594" or "6430570" or "6314558" or "6216152" or "6169992" or "5987256" or "5187786").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:41
L2	3	1 and (find\$3 or locating or locate) near2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:49
L3	0	2 and 9wrapp\$4 and API and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L4	0	1 and 9wrapp\$4 and API and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:43
L5	2	1 and wrapp\$4 and API and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L6	12	1 and java near6 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L7	3	6 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:44
L8	3	7 and (wrapp\$4 or API or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:45
L9	3	7 and wrapp\$4 and (API or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:46

L10	1	7 and wrapp\$4 and (API and cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:46
L11	3	7 and wrapp\$4 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:50
L12	3	11 and (find\$3 or locating or locate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:47
L13	1855	(find\$3 or locating or locate) near2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:59
L14	0	13 and load43 near2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:49
L15	357	13 and load\$3 near2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:49
L16	38	15 and wrapp\$4 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:00
L17	4	15 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 same API)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:54
L18	25	15 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 and API)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:59
L19	0	1 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4) and (wrapp\$6 and API)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:59

L20	0	1 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:59
L21	4850	((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:05
L22	78	21 and (find\$3 or locating or locate) near2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:02
L23	41	22 and wrapp\$4 and API and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:01
L24	41	22 and wrapp\$4 and API and cach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:01
L25	45	22 and wrapp\$4 and API and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:06
L26	65	21 and (find\$3 or locating or locate) adj2 class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:03
L27	849	(find\$3 or locating or locate) near class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:03
L28	127	27 and (classpath or (class adj (path or directory or folder)) or (class near4 (library or directory or path or folder)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:05
L29	2	28 and ((creat\$6 or generat\$6 or implement\$6 or construct\$6 or construe46 or build\$5) near2 wrapp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:05

L30	4	28 and wrapp\$4 and API and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:06
-----	---	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(search\$6 or find\$3 or locate or locating) near3 calsses!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:02
L2	1373	(search\$6 or find\$3 or locate or locating) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:43
L3	706	2 and (classpath or (class adj path) or path or pathname or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:42
L4	387	3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname or directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44
L5	34	3 and (search\$6 or find\$3 or locate or locating) same (classpath or (class adj path) or path or pathname) same (directory or folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:19
L6	6	("5187786" or "6519594" or "20020042833").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:23
L7	1	6 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L8	0	5 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:24
L9	18	5 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L10	10	9 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26

L11	0	9 and cach\$3 near2 differen\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:25
L12	0	9 and cach\$3 near2 (vary or variuos differen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26
L13	1	5 and cach\$3 near2 (vary or variuos differen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:26
L14	56	4 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:42
L15	53	14 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:36
L16	32	14 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L17	1	4 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L18	324	2 and (classpath or (class adj (directory or path)) or path) and (directory or folder or hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:43
L19	2099	(search\$6 or find\$3 or locate or locating or request\$3) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L20	551	19 and (classpath or (class adj (directory or path)) or path) and (directory or folder or hierarch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44

L21	334	20 and (search\$6 or find\$3 or locate or locating or request\$4) same (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:44
L22	205	20 and (search\$6 or find\$3 or locate or locating or request\$4) with (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L23	182	20 and (search\$6 or find\$3 or locate or locating or request\$4) near9 (classpath or (class adj (directory or path)) or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:45
L24	1	23 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L25	0	23 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L26	19	23 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:46
L27	91	19 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:47
L28	37	19 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:47
L29	32	28 and API same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:49
L30	62	19 and (creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near3 wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:52

L31	1676	(creat\$5 or generat\$5 or construct\$6 or construe\$6 or implement\$6 or build\$6) near2 wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L32	190	31 and API same wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L33	19	32 and wrapper same cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:53
L34	55	19 and wrapper and API and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:57
L35	55	19 and wrapper and API and caches! and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L36	54	19 and wrapper and API and caches! and classes! and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L37	1	36 and zip adj file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:58
L38	1373	(search\$6 or find\$3 or locate or locating) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:03
L39	993	(search\$6 or find\$3 or locate or locating) near2 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:03
L40	7	39 and (zip adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04

L41	7	40 and java adj class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L42	611	(zip adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L43	104	42 and java adj class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L44	98	43 and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L45	32	44 and wrapper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:05
L46	28	44 and wrapper and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:06
L47	7	44 and wrapper and api and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:04
L48	32	44 and (wrapp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:05
L49	28	48 and API	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:08
L50	21	49 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:08

L51	1	50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L52	21	50 and (search\$6 or find\$3 or locate or locating or request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:11
L53	14	50 and (search\$6 or find\$3 or locate or locating or request\$3) near3 (directory or folder or class or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:12
L54	21	50 and (search\$6 or find\$3 or locate or locating or request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 14:12

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	(API same (code or module) same caches!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L2	32669	1 and class or Java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:47
L3	13	1 and (class or Java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:48
L4	3574	java with classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:48
L5	98	4 and wrapp\$4 and API and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:48
L6	46	4 and (wrapp\$4 same API) and caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:49
L7	0	4 and (wrapp\$4 same API) same caches!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 15:48